

Reference Code:

D01P150
D01P15B

Mounting: indoor ceiling

Light source: 1x interchangeable LED 45°
3000k 550lm CRI 80 / 2700k 420lm CRI 90

Input Voltage: 100 ÷ 240V

Power: 7W

Switch: Capacitive proximity sensor

Colors: Black matte / Brass


Material: Aluminium, Steel

Weight: 1kg

* Cable length must be defined during the order

** To ensure a proper operation of the proximity touch it is necessary to have the earthing wire of the general electric plant connected to the lamp.





Reference Code:

D01P153O

D01P153B

Mounting: indoor ceiling

Light source: 3x interchangeable LED 45°
3000k 550lm CRI 80 / 2700k 420lm CRI 90

Input Voltage: 180 ÷ 240V

Power: 18W

Dimmer: no

Colors: Black matte / Brass


Material: Alluminium, Steel

Weight: 3kg

* Cable length must be defined during the order

** To ensure a proper operation of the proximity touch it is necessary to have the earthing wire of the general electric plant connected to the lamp.





Reference Code:

D01P156O

D01P156B

Product Code: D01P156

Mounting: indoor ceiling

Light source: 1x interchangeable LED 45°

3000k 550lm CRI 80 / 2700k 420lm CRI 90

Input Voltage: 180 ÷ 240V

Power: 36W

Dimmer: yes

Colors: Black matte / Brass

Material: Alluminium, Steel

Weight: 5kg

* Cable length must be defined during the order

** To ensure a proper operation of the proximity touch it is necessary to have the earthing wire of the general electric plant connected to the lamp.

